



CLOSTRIDIUM BOTULINUM TYPE A TOXIN

Diagnosis: ICD 10 Code: \_\_\_\_\_

**TREATMENT REQUEST**

Proposed injection date		
Dysport®	Total Dose: _____	NAPPI Code: _____
Nerve stimulator or ultrasound investigation required?	Yes <input type="checkbox"/> No <input type="checkbox"/>	
Please state if any other concurrent treatment may be required e.g. physiotherapy, occupational therapy, casting/splinting, orthotics, seating modification, medication	_____ _____ _____ _____	
Procedural Codes:	_____ _____	

**GOALS FOR DYSPORT® TREATMENT**

**GOAL AREAS**

Primary Goal (Describe primary goal and tick one applicable goal area): _____ _____ _____ _____	Pain	Tick one applicable goal area	
	Hygiene		
	Ease of care		
	Involuntary movement		
	Mobility		
	Active function		
	Impairment (e.g. range of movement)		
Secondary Goals (Describe secondary goals and tick relevant goal areas that apply) 1 _____ _____ 2 _____ _____ 3 _____ _____	Pain	Tick all relevant goal areas that apply	
	Hygiene		
	Ease of care		
	Involuntary movement		
	Mobility		
	Active function		
	Impairment (e.g. range of movement)		

Consider attaining outcomes and goal attainment at weeks 2, 4-6 and at 3-4 months using the goal attainment scale

**DYSPORT® REVIEW PLAN**

**Goal Attainment Scale (GAS)<sup>1</sup>**

Time Period	Date	Primary goal	GAS	Secondary goal	GAS	GAS	GAS	Scale	Description
2 Weeks	Date: _____	Primary goal	GAS <input type="checkbox"/>	Secondary goal	GAS <input type="checkbox"/>	GAS <input type="checkbox"/>	GAS <input type="checkbox"/>	+2	Goal attained - much more than expected level of outcome
								+1	Goal attained - somewhat more than expected level of outcome
4 - 6 Weeks	Date: _____	Primary goal	GAS <input type="checkbox"/>	Secondary goal	GAS <input type="checkbox"/>	GAS <input type="checkbox"/>	GAS <input type="checkbox"/>	0	Goal attained - expected level of outcome
								-1	Goal not attained - somewhat less than expected level of outcome
3 - 4 Months	Date: _____	Primary goal	GAS <input type="checkbox"/>	Secondary goal	GAS <input type="checkbox"/>	GAS <input type="checkbox"/>	GAS <input type="checkbox"/>	-2	Goal not attained - much less than expected level of outcome

Reference: 1. Turner-Stokes L. Goal attainment scaling (GAS) in rehabilitation: a practical guide. King's College London School of Medicine, Regional Rehabilitation Unit, Northwick Park Hospital, Harrow, UK. Clinical Rehabilitation 2009;23:362-370

[S4] Dysport Each vial contains 500 U of *Clostridium botulinum* type A toxin-haemagglutinin complex. Excipients: Human albumin solution, lactose monohydrate. Reg No.: 37/30.4/0683. HCR: Acino Pharma (Pty) Ltd. Reg No.:1994/008717/07. 106, 16th Road, Midrand,1686. LP4634 22/03/2023 Exp 03/2025

